



Composite drill intercepts for Corral Copper Project Holes CC24-001 to CC24-025 ¹

CC24-001-012 COMPOSITES											
DRILL HOLE DETAILS				ANALYZED GRADE				ANALYZED METAL EQUIVALENT		DILUTED METAL EQUIVALENT	
HOLE	FROM	TO	LENGTH	COPPER	GOLD	SILVER	ZINC	CUEQ	AUEQ	CUEQ	AUEQ
ID	(m)	(m)	(m)	(%)	(ppm)	(ppm)	(%)	(%)	(g/t)	(%)	(g/t)
HOLLIDAY ZONE											
CC24_001	10.00	134.00	124.00	0.52	0.35	7.58	0.12	0.88	1.20	0.73	1.00
<i>Incl.</i>	10.00	110.35	100.35	0.57	0.41	7.33	0.13	0.98	1.34	0.81	1.11
<i>Incl.</i>	10.00	41.85	31.85	0.67	0.39	5.10	0.04	1.01	1.38	0.84	1.15
<i>Incl.</i>	51.90	134.00	82.10	0.52	0.37	9.38	0.17	0.92	1.27	0.76	1.05
<i>Incl.</i>	75.00	79.00	4.00	2.70	0.89	33.80	0.07	3.66	5.02	3.06	4.20
CC24_001	152.70	162.15	9.45	0.06	0.03	6.14	0.05	0.15	0.20	0.12	0.17
CC24_001	172.00	200.80	28.80	0.09	0.19	5.51	0.03	0.29	0.40	0.24	0.33
CC24_002	5.45	18.65	13.20	0.54	0.02	4.01	0.13	0.62	0.86	0.53	0.72
CC24_002	59.00	69.10	10.10	0.13	0.13	8.04	0.18	0.35	0.49	0.29	0.40
CC24_002	82.00	98.35	16.35	0.18	0.12	18.08	0.31	0.52	0.71	0.42	0.58
CC24_003	7.00	16.00	9.00	0.09	0.16	6.80	0.01	0.27	0.37	0.22	0.30
CC24_003	26.00	114.65	88.65	0.22	0.09	4.44	0.14	0.37	0.51	0.31	0.42
<i>Incl.</i>	26.00	66.00	40.00	0.40	0.09	4.51	0.11	0.53	0.73	0.45	0.61
<i>Incl.</i>	73.15	101.30	28.15	0.09	0.12	4.84	0.19	0.27	0.37	0.22	0.30
<i>Incl.</i>	105.70	114.65	8.95	0.16	0.12	5.26	0.19	0.35	0.48	0.29	0.39
CC24_003	124.00	127.40	3.40	0.10	0.05	10.28	0.16	0.27	0.37	0.22	0.30
CC24_003	162.00	173.00	11.00	0.10	0.04	4.12	0.10	0.20	0.27	0.16	0.22
CC24_003	202.35	212.00	9.65	0.07	0.10	3.05	0.02	0.17	0.23	0.14	0.19
CC24_003	218.70	222.35	3.65	0.63	0.31	27.38	0.04	1.10	1.51	0.91	1.25
CC24_004	3.45	65.00	61.55	0.28	0.10	3.42	0.22	0.45	0.61	0.37	0.51
<i>Incl.</i>	3.45	13.50	10.05	0.16	0.04	5.07	0.19	0.29	0.40	0.24	0.33
<i>Incl.</i>	16.70	46.30	29.60	0.44	0.15	3.84	0.05	0.59	0.81	0.49	0.68
<i>And</i>	16.70	29.00	12.30	0.42	0.04	1.87	0.08	0.49	0.67	0.41	0.56
<i>And</i>	31.95	46.30	14.35	0.53	0.26	6.12	0.03	0.78	1.07	0.65	0.89
<i>Incl.</i>	52.00	65.00	13.00	0.20	0.08	2.95	0.68	0.49	0.67	0.40	0.55
CC24_004	82.00	129.90	47.90	0.21	0.28	3.06	0.07	0.45	0.62	0.37	0.51
<i>Incl.</i>	82.00	88.95	6.95	0.18	0.06	5.36	0.07	0.29	0.39	0.24	0.33
<i>Incl.</i>	94.50	100.00	5.50	0.76	0.22	5.46	0.18	1.02	1.40	0.86	1.17
<i>Incl.</i>	103.55	117.70	14.15	0.16	0.60	0.88	0.03	0.62	0.85	0.51	0.69
<i>Incl.</i>	119.35	129.90	10.55	0.19	0.26	5.87	0.03	0.44	0.60	0.36	0.49
CC24_005	3.05	11.50	8.45	0.05	0.11	3.71	0.01	0.16	0.22	0.13	0.18
CC24_005	42.75	77.55	34.80	0.56	0.14	8.79	0.03	0.75	1.02	0.62	0.86
<i>Incl.</i>	50.25	77.55	27.30	0.71	0.12	8.97	0.04	0.88	1.21	0.74	1.01
CC24_005	87.25	91.50	4.25	0.14	0.06	3.36	0.10	0.24	0.32	0.20	0.27
CC24_005	98.00	104.00	6.00	0.36	0.19	6.63	0.03	0.56	0.77	0.47	0.64
CC24_006	10.00	108.00	98.00	0.40	0.22	4.91	0.14	0.65	0.89	0.54	0.74
<i>Incl.</i>	10.00	44.00	34.00	0.24	0.06	4.16	0.10	0.35	0.48	0.29	0.40
<i>Incl.</i>	52.00	78.00	26.00	0.18	0.04	2.70	0.12	0.27	0.38	0.23	0.31
<i>Incl.</i>	90.00	108.00	18.00	1.34	0.96	11.83	0.32	2.24	3.07	1.86	2.55
CC24_006	136.00	143.50	7.50	0.14	0.06	10.52	0.05	0.29	0.40	0.24	0.33
CC24_007	76.00	84.00	8.00	0.07	0.09	2.29	0.16	0.20	0.28	0.17	0.23
CC24_007	98.00	143.80	45.80	0.50	0.37	6.26	0.07	0.85	1.16	0.70	0.96
<i>Incl.</i>	108.95	143.80	34.85	0.62	0.47	7.20	0.07	1.04	1.42	0.86	1.18
EARP ZONE											
CC24_008	6.00	14.00	8.00	0.28	0.23	2.10	0.01	0.47	0.64	0.39	0.53
CC24_008	36.00	66.00	30.00	0.31	0.05	0.47	0.07	0.38	0.52	0.32	0.43
<i>Incl.</i>	37.30	42.00	4.70	1.08	0.09	0.73	0.08	1.17	1.61	0.99	1.36
CC24_008	92.60	98.00	5.40	0.31	0.07	0.68	0.02	0.37	0.50	0.31	0.42

CC24_008	124.20	182.00	57.80	0.21	0.01	0.49	0.01	0.22	0.31	0.19	0.26
<i>Incl.</i>	132.00	152.00	20.00	0.33	0.02	0.74	0.02	0.35	0.49	0.30	0.41
<i>Incl.</i>	158.00	166.00	8.00	0.15	0.01	0.25	0.00	0.16	0.22	0.13	0.18
<i>Incl.</i>	172.00	182.00	10.00	0.18	0.01	0.36	0.00	0.19	0.26	0.16	0.22
CC24_009	3.75	32.50	28.75	0.41	0.04	1.94	0.07	0.48	0.65	0.40	0.55
CC24_009	39.50	48.40	8.90	0.09	0.03	1.95	0.10	0.16	0.22	0.14	0.19
CC24_010	10.00	112.00	102.00	0.28	0.08	2.13	0.55	0.52	0.72	0.43	0.60
<i>Incl.</i>	12.00	100.00	88.00	0.31	0.08	2.25	0.63	0.58	0.79	0.48	0.65
<i>and</i>	12.00	46.65	34.65	0.56	0.14	3.05	0.83	0.94	1.29	0.78	1.07
CC24_020	10.30	64.00	53.70	0.46	0.24	2.86	0.24	0.74	1.01	0.61	0.84
<i>Incl.</i>	10.30	52.50	42.20	0.55	0.29	3.48	0.25	0.87	1.19	0.72	0.99
<i>And</i>	25.00	27.15	2.15	0.73	4.47	13.80	0.09	4.13	5.67	3.34	4.59
<i>And</i>	10.30	30.20	19.90	0.82	0.57	4.56	0.48	1.43	1.96	1.18	1.62
CC24-020	104.00	111.15	7.15	0.56	0.00	0.25	0.01	0.57	0.78	0.48	0.66
<i>And</i>	109.65	111.15	1.50	1.21	0.01	0.25	0.00	1.22	1.67	1.04	1.42
CC24-021	4.90	121.00	116.10	0.24	0.07	1.76	0.19	0.36	0.49	0.30	0.41
<i>Incl.</i>	4.90	76.50	71.60	0.31	0.10	2.58	0.29	0.49	0.68	0.41	0.56
<i>And</i>	4.90	40.85	35.95	0.51	0.15	2.46	0.46	0.79	1.08	0.65	0.90
<i>And</i>	17.35	40.85	23.50	0.62	0.23	3.41	0.46	0.95	1.31	0.79	1.09
CC24-021	148.00	164.85	16.85	0.31	0.01	0.36	0.00	0.32	0.44	0.27	0.37
RINGO ZONE											
CC24_011	27.00	220.15	193.15	0.68	0.33	4.22	0.13	1.00	1.37	0.83	1.14
<i>Incl.</i>	54.00	159.20	105.20	1.17	0.55	6.55	0.23	1.70	2.33	1.42	1.94
<i>And</i>	115.75	164.60	48.85	2.24	0.97	11.39	0.15	3.09	4.23	2.58	3.54
<i>And</i>	143.10	147.00	3.90	6.80	1.02	22.11	0.06	7.75	10.63	6.54	8.97
<i>Incl.</i>	208.00	220.15	12.15	0.10	0.08	2.00	0.01	0.17	0.24	0.14	0.20
CC24_012	4.00	11.65	7.65	0.02	0.27	1.85	0.00	0.23	0.32	0.19	0.25
CC24_012	28.35	188.00	159.65	0.57	0.22	3.21	0.04	0.77	1.05	0.64	0.88
<i>Incl.</i>	109.05	134.00	24.95	1.66	0.55	5.30	0.13	2.15	2.94	1.80	2.47
<i>And</i>	115.00	124.30	9.30	3.15	0.68	9.53	0.11	3.76	5.16	3.17	4.34
<i>Incl.</i>	142.00	182.45	40.45	0.97	0.40	6.99	0.01	1.32	1.81	1.11	1.52
<i>Incl.</i>	171.00	174.85	3.85	3.34	1.54	18.19	0.01	4.61	6.33	3.86	5.29
CC24_012	208.60	223.90	15.30	0.25	0.14	1.79	0.01	0.37	0.51	0.31	0.43
<i>Incl.</i>	208.60	215.00	6.40	0.35	0.24	2.35	0.01	0.55	0.75	0.46	0.62
CC24_013	60.00	159.45	99.45	0.54	0.27	3.11	0.16	0.81	1.12	0.68	0.93
<i>Incl.</i>	85.75	130.15	44.40	1.08	0.53	3.57	0.13	1.54	2.11	1.28	1.76
<i>And</i>	85.75	106.40	20.65	1.19	0.62	2.37	0.06	1.69	2.31	1.41	1.93
<i>Incl.</i>	113.05	120.70	7.65	2.51	0.87	11.98	0.46	3.38	4.64	2.83	3.88
<i>And</i>	114.15	117.45	3.30	5.08	1.86	19.75	0.11	6.63	9.10	5.56	7.63
<i>Incl.</i>	124.00	130.15	6.15	0.52	0.48	1.46	0.10	0.91	1.25	0.75	1.03
CC24_013	193.60	215.50	21.90	0.23	0.47	5.53	0.07	0.64	0.88	0.52	0.72
<i>Incl.</i>	193.60	195.00	1.40	0.11	2.25	8.20	0.00	1.82	2.49	1.46	2.00
<i>Incl.</i>	210.50	213.35	2.85	0.20	0.90	2.24	0.08	0.90	1.24	0.73	1.01
CC24_014	45.85	179.05	133.20	0.42	0.46	2.22	0.02	0.78	1.07	0.64	0.88
<i>Incl.</i>	45.85	58.00	12.15	0.74	0.05	0.49	0.00	0.79	1.08	0.67	0.91
<i>Incl.</i>	70.00	149.00	79.00	0.33	0.65	2.70	0.03	0.83	1.14	0.68	0.93
<i>And</i>	116.00	149.00	33.00	0.56	1.43	5.38	0.02	1.65	2.26	1.35	1.85
<i>And</i>	126.55	128.90	2.35	4.71	15.84	39.26	0.05	16.61	22.77	13.52	18.54
<i>Incl.</i>	163.25	179.05	15.80	1.27	0.46	3.79	0.02	1.64	2.25	1.38	1.89
<i>And</i>	172.50	178.10	5.60	2.22	0.99	8.23	0.05	3.02	4.15	2.53	3.47
CC24_015	35.90	137.65	101.75	0.31	0.41	4.96	0.25	0.73	1.00	0.60	0.82
<i>Incl.</i>	35.90	58.00	22.10	0.39	0.05	2.53	0.08	0.47	0.65	0.40	0.55
<i>Incl.</i>	80.00	99.65	19.65	0.24	0.17	10.35	0.14	0.49	0.67	0.40	0.55
<i>Incl.</i>	110.00	137.65	27.65	0.59	1.31	7.53	0.71	1.82	2.50	1.48	2.04
<i>And</i>	116.05	120.00	3.95	2.72	7.47	4.65	0.01	8.21	11.26	6.71	9.20
<i>And</i>	116.05	117.15	1.10	3.44	21.30	9.10	0.01	19.05	26.13	15.41	21.14
CC24_015	181.75	208.20	26.45	0.30	0.87	4.86	0.18	1.02	1.40	0.83	1.14
CC24_015	201.00	206.35	5.35	0.98	3.78	10.51	0.01	3.83	5.25	3.11	4.27
CC24_016	10.00	208.00	198.00	0.56	0.12	4.35	0.42	0.81	1.11	0.68	0.93
<i>Incl.</i>	60.10	132.30	72.20	1.28	0.08	3.16	0.42	1.49	2.05	1.26	1.73
<i>Incl.</i>	178.30	208.00	29.70	0.57	0.35	11.14	0.22	0.99	1.35	0.82	1.12
<i>Incl.</i>	228.90	230.50	1.60	5.30	1.95	11.20	0.00	6.81	9.35	5.72	7.84
CC24_017	46.60	81.40	34.80	0.24	0.04	2.26	0.00	0.30	0.41	0.25	0.34

CC24_017	101.40	101.90	0.50	1.65	0.13	6.50	0.08	1.82	2.49	1.54	2.11
CC24_017	134.00	148.00	14.00	0.03	0.12	10.90	0.08	0.23	0.32	0.19	0.26
CC24_018	29.55	51.50	21.95	0.19	0.02	0.26	0.00	0.21	0.29	0.18	0.25
Incl.	45.60	48.50	2.90	0.54	0.01	0.25	0.00	0.55	0.76	0.47	0.64
CC24_018	222.00	310.25	88.25	0.46	0.31	3.16	0.02	0.72	0.98	0.60	0.82
Incl.	227.35	272.00	44.65	0.58	0.41	3.59	0.02	0.91	1.25	0.76	1.04
And	227.35	255.65	28.30	0.73	0.48	5.03	0.03	1.13	1.55	0.94	1.29
Or	248.10	255.65	7.55	1.14	0.81	6.29	0.02	1.78	2.45	1.48	2.04
CC24_019	79.00	254.00	175.00	0.32	0.27	1.82	0.03	0.54	0.74	0.45	0.62
Incl.	157.30	248.65	91.35	0.41	0.36	2.27	0.02	0.70	0.96	0.58	0.79
And	157.30	164.20	6.90	0.61	0.72	1.11	0.04	1.16	1.59	0.96	1.32
And	161.00	164.20	3.20	0.91	1.27	1.00	0.03	1.86	2.55	1.53	2.10
And	190.50	192.75	2.25	1.76	0.47	12.46	0.01	2.21	3.03	1.86	2.55
And	236.00	242.00	6.00	1.39	0.66	2.27	0.00	1.89	2.59	1.58	2.17
CC24-022	116.60	208.00	91.40	0.71	0.43	5.99	0.15	1.12	1.54	0.93	1.28
Incl.	116.60	137.55	20.95	1.37	1.39	5.11	0.43	2.55	3.50	2.11	2.90
And	120.20	134.80	14.60	1.80	1.88	6.80	0.38	3.35	4.59	2.77	3.79
And	120.20	121.20	1.00	1.16	1.69	2.30	0.31	2.50	3.43	2.06	2.82
And	124.05	128.15	4.10	2.99	5.01	11.74	0.52	6.90	9.47	5.67	7.78
And	126.60	128.15	1.55	6.22	8.83	11.80	0.78	12.99	17.82	10.71	14.68
And	131.20	133.45	2.25	4.62	1.30	14.65	0.78	5.93	8.13	4.97	6.82
And	132.30	133.45	1.15	6.08	2.16	16.90	0.93	8.08	11.08	6.77	9.28
CC24-022	179.20	185.35	6.15	0.23	0.15	5.08	0.02	0.39	0.54	0.33	0.45
Incl.	190.50	208.00	17.50	1.63	0.24	14.82	0.03	1.94	2.66	1.64	2.24
And	190.50	197.50	7.00	2.93	0.40	23.84	0.04	3.43	4.70	2.89	3.96
And	194.70	195.75	1.05	4.52	0.63	40.60	0.01	5.33	7.30	4.49	6.15
CC24-023	68.40	181.35	112.95	1.50	0.53	8.22	0.071	1.98	2.71	1.66	2.27
Incl.	68.40	76.00	7.60	0.28	0.03	0.49	0.002	0.31	0.42	0.26	0.36
Incl.	130.60	140.20	9.60	3.12	2.21	9.98	0.254	4.89	6.71	4.07	5.58
Incl.	144.15	174.00	29.85	4.09	0.77	24.91	0.025	4.87	6.67	4.10	5.62
And	144.15	167.90	23.75	4.47	0.85	29.36	0.029	5.35	7.34	4.50	6.17
And	160.60	174.00	13.40	6.72	1.49	46.93	0.043	8.21	11.26	6.90	9.47
And	163.75	170.50	6.75	10.95	2.64	88.53	0.080	13.65	18.72	11.47	15.73
And	165.15	166.55	1.40	20.20	8.51	250.00	0.110	28.55	39.15	23.85	32.71
CC24-024	34.00	86.00	52.00	0.29	0.10	0.89	0.003	0.38	0.52	0.32	0.44
Incl.	54.00	59.30	5.30	0.71	0.18	1.52	0.001	0.85	1.17	0.72	0.98
Incl.	78.00	86.00	8.00	0.39	0.23	0.91	0.002	0.57	0.78	0.47	0.65
CC24-024	119.00	202.20	83.20	0.33	0.20	4.00	0.425	0.64	0.88	0.53	0.72
Incl.	119.00	129.85	10.85	0.57	0.37	1.50	0.230	0.92	1.26	0.76	1.05
Incl.	158.20	159.35	1.15	5.90	0.51	15.70	0.026	6.41	8.79	5.42	7.44
Incl.	185.70	189.10	3.40	2.06	0.66	4.26	0.008	2.58	3.54	2.17	2.97
And	185.70	186.80	1.10	1.89	0.11	2.40	0.006	1.99	2.73	1.69	2.32
CC24-025	19.50	41.00	21.50	0.20	0.04	0.93	0.004	0.24	0.34	0.21	0.28
CC24-025	64.00	105.00	41.00	0.38	0.08	1.08	0.011	0.45	0.62	0.38	0.52
Incl.	79.55	82.00	2.45	2.81	0.11	4.01	0.033	2.93	4.02	2.49	3.41
And	79.55	80.35	0.80	7.07	0.08	6.50	0.047	7.20	9.87	6.11	8.38
CC24-025	117.00	181.95	64.95	0.84	0.35	2.83	0.134	1.15	1.58	0.96	1.32
Incl.	129.50	145.15	15.65	1.55	0.55	2.52	0.199	2.04	2.79	1.71	2.34
CC24-025	162.40	173.15	10.75	1.72	0.58	4.51	0.203	2.24	3.08	1.88	2.58
Incl.	162.40	166.80	4.40	1.66	0.33	2.31	0.009	1.93	2.64	1.62	2.23
Incl.	169.35	173.15	3.80	2.75	1.07	8.25	0.493	3.74	5.13	3.13	4.30

¹ Composite intervals are calculated using length weighted averages based on a combination of lithological breaks and copper, gold, silver and zinc assay values. All intervals reported are core lengths, and true thicknesses are yet to be determined. Mineral resource modeling is required before true thicknesses can be estimated. Analyzed Grade corresponds composite weighted ("composites") averages of laboratory. Metal Equivalent corresponds to undiluted metal equivalent of reported composites and Diluted Metal Equivalent takes into account dilution factors of 85% for copper, and 80% for gold, silver and zinc for reported composites. Metal prices used for the CuEq and AuEq calculations are in USD based on Ag \$22.00/oz, Au \$1900/oz, Cu \$3.80/lb, Zn \$1.15/lb The following equation was used to calculate copper equivalence: $CuEq = Copper (\%) (85\% rec.) + (Gold (g/t) \times 0.71)(80\% rec.) + (Silver (g/t) \times 0.0077)(80\% rec.) + (Zinc (\%) \times 0.28)(80\% rec.)$. The following equation was used to calculate gold equivalence: $AuEq = Gold (gpt)(80\% rec.) + (Copper (\%) \times 1.4085)(85\% rec.) + (Silver (gpt) \times 0.0108)(80\% rec.) + (Zinc (\%) \times 0.4188)(80\% rec.)$. Analyzed metal equivalent calculations are reported for illustrative purposes only. The metal chosen for reporting on an equivalent basis is the one that contributes the most dollar value after accounting for assumed recoveries.